Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"3746979".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:07
L2	454	(single near2 phase) and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3 assess\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:08
L3	91	2 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:28
L4	8	("5982181" "6611771" "6870374" "6483319" "6460013" "5751132"). pn. ("20030112015" "20030160602")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:25
L5	4	4 and (rotat\$4 rotor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:25
L6	22	3 and (rotat\$4 rotor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:28
S1	111	324/551.ccls. and ((determin\$4 detect\$4 find measur\$4) near3 insulation) and (current same voltage)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 10:22
S2	. 5	324/551.ccls. and ((determin\$4 detect\$4 find measur\$4) near3 insulation) and ((phas\$2 near3 current) same (phas\$2 near3 voltage))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 10:44
S3	8	324/551.ccls. and (rotor and stator)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 11:21
S4	34	324/551.ccls. and (insulation near2 condition)	US-PGPUB; USPAT; USOCR; EPO	OR .	OFF	2005/05/11 11:22
S5	1	324/551.ccls. and ((insulation near2 condition) same (angle angular))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 11:25
S6	0	324/545,546,536,772.ccls. and ((insulation near2 condition) same (angle angular))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 11:25

			· · · · · · · · · · · · · · · · · · ·			
S7	41	324/545,546,536,772.ccls. and ((insulat\$4) same (angle angular))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 12:12
S8	22	702/57.ccls. and (insulation)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 12:13
S9	17	S8 and (voltage same current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 14:10
S10	i	"20030112015"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 14:18
S11	3	("6072708" "6421618" "6593751").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 14:19
S12	5	S11 or ("6327124" "3732490").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 15:02
S13	4	("6504382" "6580276").pn. or ("20030160602" "20020079906")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 15:28
S14	43	324/538-554,772.ccls. and (insulat\$3 with (angle\$1 angular))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 15:46
S15 ⁻	1	"20030112015"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 16:56
S16	15	324/207.2,207.25,207.21.ccls. and ((determin\$4 detect\$4 calculat\$4 estimat\$3 measur\$4 monitor\$4) near3 (insulat\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 17:33
S17	. 20	310/180,43.ccls. and ((determin\$4 detect\$4 calculat\$4 estimat\$3 measur\$4 monitor\$4) near3 (insulat\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 18:04
S18	8	310/180,43.ccls. and (integrity with insulat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 17:52

S19	26	310/180-184,40r-46.ccls. and	US-PGPUB;	OR	OFF	2005/05/11 17:52
	20	(integrity with insulat\$4)	USPAT; USOCR; EPO		011	2003/03/11 17:52
S20	44	310/180-184,40r-46.ccls. and ((determin\$4 detect\$4 calculat\$4 estimat\$3 measur\$4 monitor\$4) near3 (insulat\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 18:05
S21	24	S20 not S17	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/11 18:23
S22	5	702/57-60.ccls. and (insulat\$5 same (voltage same current)) and (rotata\$4 rotor\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 08:30
S23	8	702/57-80.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) and (phas\$2) and (rotor rotat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:11
S24	3	("6192317").URPN.	USPAT	OR	OFF	2005/05/12 08:52
S25	0	702/57-80.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same (instantaneous adj2 differential adj2 current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:12
S26	0	"702"/\$.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same (instantaneous adj2 differential adj2 current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF .	2005/05/12 09:12
S27	0	"324"/\$.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same (instantaneous adj2 differential adj2 current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:12
S28	0	"324"/\$.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) and (instantaneous adj2 differential adj2 current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:13
S29	7	"324"/\$.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same (differential adj2 current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:27

S30	10	("324"/\$.ccls. or "702"/\$.ccls. or "310"/\$.ccls. or "318"/\$.ccls) and ((insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same ((angle angular phas\$2) with (voltage) with current)) and (rotor rotat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:41
S31	3	((insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) same ((angle angular phas\$2) with (voltage) with current)) and (rotor rotat\$4)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:49
S32		((insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3)) and ((angle angular phas\$2) with (voltage) with current)) and (rotor rotat\$4)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:49
S33	1	S32 not S31	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:49
S34	6	324/557.ccls. and (rotat\$4 rotor)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56
S35	32	324/557.ccls. and (rotat\$4 rotor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 09:56
S36	9	324/557.ccls. and (rotat\$4 rotor) and (phas\$2 angle angular)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 11:05
S37	12	318/449-455,478-479,490.ccls. and (insulat\$5 near5 (determin\$4 detect\$3 find\$3 estimat\$3 calculat\$3 analyz\$3 monitor\$3 assess\$3)) and (voltage with current)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 11:30
S38	71	324/558-559.ccls. and (rotor rotat\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 11:30
S39	34	S38 and (phas\$2 angle\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 11:31

S40	30	S39 and (insulat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 12:02
S41	7	"5612601"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/12 12:02
S42	_. 11	("3668469" "3970897" "4319298" "4377784" "4761703" "4766387" "4897607" "4922172" "4965513" "5126678" "5270640").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 15:51